




B&Bartoni Consumable Parts suitable for

HIFOCUS 280i-360i-440i YELLOWXLIFE® Cutting up to 440A



B&Bartoni Consumable Parts Suitable For

HIFOCUS 280i-360i-440i YELLOWXLIFE® Cutting up to 440A



ITEM	REF. NUMBER	ORDER NUMBER	DESCRIPTION
01.	B.11.833.101.150	BP30702	Shield V4330 - ø 3,0mm (dry cutting)
	B.11.833.101.155	BP30703	Shield V4335 - ø 3,5mm (dry cutting)
	B.11.833.101.156	BP30704	Shield V4340 - ø 4,0mm (dry cutting)
	B.11.833.101.157	BP30705	Shield V4345 - ø 4,5mm (dry cutting)
	B.11.833.101.158	BP30706	Shield V4350 - ø 5,0mm (dry cutting)
	B.11.833.101.159	BP30707	Shield V4360 - ø 6,0mm (dry cutting)
02.	B.11.841.721.081	BP30708	Protective cap T502 "OEM"
03.	B.11.836.901.271	BP30709	Swirl gas nozzle T521 "OEM
	B.11.836.921.271	BP30710	Swirl gas nozzle T522 "OEM"
04.	B.11.836.901.163	BP30711	Retaining cap T3030 - 30 CW
	B.11.836.901.164	BP30712	Retaining cap T3045 - 45 CW
	B.11.836.901.1641	BP30713	Retaining cap T3145 - 45 CCW
	B.11.836.901.165	BP30714	Retaining cap T3060 - 60 CW
	B.11.836.901.1651	BP30715	Retaining cap T3160 - 60 CCW
05.	B.11.846.921.415	BP30729	Nozzle T2115Y - ø 1,5mm, 120A, O2
	B.11.846.921.420	BP30730	Nozzle T2120Y - ø 2,0mm, 200A, O2
	B.11.846.921.425	BP30731	Nozzle T2125Y - ø 2,5mm, 250A, O2
	B.11.846.921.427	BP30732	Nozzle T2127Y - ø 2,7mm, 300A, O2
	B.11.846.921.430	BP30733	Nozzle T2130Y - ø 3,0mm, 360A, O2
06.	B.11.836.921.153	BP30721	Swirl ring T101 - (6x0,8 CW) / (teflon $^{\rm \tiny (B)}$)
	B.11.836.921.154	BP30722	Swirl ring T102 - $(3x0,6 \text{ CW}) / (\text{teflon}^{\text{@}})$
	B.11.836.921.1542	BP30723	Swirl ring T104 - $(3x0,4 \text{ CW}) / (\text{teflon}^{\text{@}})$
	B.11.836.921.1531	BP30724	Swirl ring T111 - (6x0,8 CCW) / (teflon®)
	B.11.836.921.1541	BP30725	Swirl ring T112 - (3x0,6 CCW) / (teflon $^{ ext{ iny B}}$)
07.	B.11.844.921.300AG	BP30735	Cathode T012Y O2 SILVER
	B.11.844.921.300SC	BP30738	Cathode T012Y O2 SilverCore
08.	B.11.844.901.152	BP30736	Cooling tube - T902Y "OEM"

B&BARTONI CONSUMABLE PARTS SUITABLE FOR

HIFOCUS 280i-360i-440i YELLOWXLIFE® Cutting up to 440A

20 years of worldwide experience with **plasma cutting** solutions



Our company offers a complete range of replacement parts for most of the Cutting Systems, always providing cost-effective solutions that deliver performance equal to OEM standards.



Technical Support Service: Count on us to identify and correct Key issues that may compromise the performance of your plasma cutting operation. Also available as remote support.



Our product performance is approved by major companies in multiple industrial sectors, like automotive, civil construction, energy, metal-mechanics, transportation, among others. We are present in more than 17 countries.



www.b-bartoni.com

